

**THE DISTRIBUTION, HABITAT, AND STATUS OF THE
VALLEY ELDERBERRY LONGHORN BEETLE
DESMOCERUS CALIFORNICUS DIMORPHUS FISHER
(INSECTA: COLEOPTERA: CERAMBYCIDAE)**

**Cheryl B. Barr
U. S. Fish and Wildlife Service
2800 Cottage Way, Room E-1823
Sacramento, California 95825-1846**

November 1991

Table of Contents

SUMMARY	1
INTRODUCTION	3
TAXONOMY	3
DISTRIBUTION	3
LIFE HISTORY	4
HABITAT	5
FEDERAL PROTECTION	6
PREVIOUS STUDIES, 1984-1991	6
CURRENT STUDY	8
MATERIALS AND METHODS	9
SURVEY AREA	9
DOCUMENTATION	9
FIELD TECHNIQUES	10
Elderberry	10
Valley Elderberry Longhorn Beetle	12
RESULTS AND DISCUSSION	15
PREVIEW	15
DISTRIBUTION	16
Limits of the Range	16
North	16
South	16
East	16
West	17
The Sacramento Valley	18
Sacramento River	18
Sierra Nevada Drainages	20
Coast Range Drainages	24
The Sacramento-San Joaquin Delta	26
Sacramento River	27
San Joaquin River	27
The San Joaquin Valley	28
San Joaquin River	28
Sierra Nevada Drainages	29
Atypical Males	36

HABITAT	36
Species of <i>Sambucus</i> Utilized as Hosts	36
<i>Sambucus</i> Physical Characteristics and Condition	37
Growth Form and Phenology	37
Size	38
Healthy and Stressed	39
Damage Due to Human Activities	40
<i>Sambucus</i> Habitat and Plant Communities	40
<i>Sambucus</i> Density	41
EXIT HOLES	42
Field Observations	42
Branch or Trunk Diameter at Exit Hole	43
Vertical Height of Exit Hole	44
<i>Sambucus</i> Wood Samples	44
ADULT BEETLES	45
Field Observations	45
Scarcity of Adult Collections	45
Laboratory Observations	46
POPULATION STATUS	46
OWNERSHIP OF HABITAT	47
 CONCLUSIONS	 49
PROJECT SUMMARY	49
Overview	49
<i>Sambucus</i> with Valley Elderberry Longhorn	
Beetle Populations	50
Valley Elderberry Longhorn Beetle	51
FACTORS AFFECTING THE VALLEY ELDERBERRY	
LONGHORN BEETLE	52
RECOVERY	53
RECOMMENDATIONS	54
 ACKNOWLEDGMENTS	 57
 REFERENCES	 59

FIGURES	65
TABLES	108
APPENDIX I	113
SURVEY SITES	113
APPENDIX II	131
SAMBUCUS DETERMINATIONS	131
<i>Sambucus mexicana</i> Presl.	131
<i>Sambucus racemosa</i> L. var. <i>microbotrys</i>	
(Rydb.) Kearney & Peebles	133

List of Figures

- Figure 1. Male *Desmocerus californicus dimorphus* collected near the Mokelumne River north of Clements, San Joaquin Co., 15 May 1991 (Site #72).
- Figure 2. Female *Desmocerus californicus dimorphus* collected at the Campbell-Moreland Ditch just southeast of Porterville, Tulare Co., 21 April 1991 (Site #15).
- Figure 3. Known geographic ranges of: 1, *Desmocerus californicus californicus* Horn (closed circles); 2, *D. californicus dimorphus* Fisher (open circles). (From Linsley & Chemsak 1974)
- Figure 4. *Sambucus* stem sectioned longitudinally to expose VELB gallery; note frass and shredded wood (Site #32).
- Figure 5. *Sambucus* stem sectioned longitudinally to expose VELB gallery; note frass and shredded wood (Site #32).
- Figure 6. Recent VELB exit hole (Site #141).
- Figure 7. Recent VELB exit hole (Site #24).
- Figure 8. Distribution of survey sites with *Desmocerus californicus dimorphus* and/or *Sambucus* present.
- Figure 9. Lanky arborescent *Sambucus racemosa* var. *microbotrys* at Reading Island Recreation Area (BLM) campsite on the Sacramento River, Shasta Co. (Site #61); note the pruning scars and absence of bark on much of the trunk.
- Figure 10. Massive arborescent *Sambucus*, with a maximum trunk diameter of 30 inches, adjacent to Bartlett Park (Co.) on the Tule River east of Porterville, Tulare Co. (Site #35); the tree had been pruned.
- Figure 11. *Sambucus* in full bloom above Lake Kaweah (COE), Hwy. 198, Tulare Co. (Site #33).
- Figure 12. Dense *Sambucus* grove along Gordon Valley Creek about 4 mi. northwest of Fairfield, Solano Co. (Site #125).
- Figure 13. Clean-cut, typical VELB exit hole (Site #56).

- Figure 14. Partly healed VELB exit hole (Site #61).
- Figure 15. Healed VELB exit hole (Site #32).
- Figure 16. Possible VELB exit holes plugged with sawdust/frass from secondary insect infestation, perhaps by termites (Site #32).
- Figure 17. Enlarged holes with extruded sawdust/frass from recent non-VELB insect activity (Site #20).
- Figure 18. Enlarged hole with extruded sawdust/frass from recent non-VELB insect activity (Site #20).
- Figure 19. Known range of *Desmocerus californicus dimorphus* Fisher from current and historic adult/exit hole records.
- Figure 20. *Sambucus mexicana* grove with VELB exit holes at Turtle Bay East Fishing Access (city) on the Sacramento River, Redding, Shasta Co. (Site #56).
- Figure 21. *Sambucus* clump with VELB exit holes at Anderson River Park (city) on the Sacramento River, Shasta Co. (Site #60).
- Figure 22. *Sambucus racemosa* var. *microbotrys* grove with VELB exit holes at the margin of riparian forest along the Sacramento River, Sacramento River NWR (Flynn Tract) southeast of Gerber, Tehama Co. (Site #112).
- Figure 23. Large *Sambucus racemosa* var. *microbotrys* clump with VELB exit holes at the margin of a dense riparian corridor along the Sacramento River, Kopta Slough Preserve (The Nature Conservancy) east of Corning, Tehama Co. (Site #113).
- Figure 24. Grove of buckeye, oak, and *Sambucus racemosa* var. *microbotrys* with VELB exit holes above Paynes Creek, Tehama Co. (Site #68).
- Figure 25. Riparian *Sambucus mexicana* with VELB exit holes along Big Chico Creek in Bidwell Park (city), Chico, Butte Co. (Site #119).
- Figure 26. *Sambucus racemosa* var. *microbotrys* with VELB exit holes along the Feather River levee east of Live Oak, Yuba Co. (Site #172).
- Figure 27. Huge, isolated *Sambucus racemosa* var. *microbotrys* with VELB exit holes below Black Butte Lake Dam, Tehama Co. (Site #118).

- Figure 28. Recent exit hole in *Sambucus mexicana* branch, Wooden Valley Creek northwest of Fairfield, Napa Co. (Site #128).
- Figure 29. Dense stand of *Sambucus* in bloom along a tributary of LedgeWood Creek northwest of Fairfield, Solano Co. (Site #123).
- Figure 30. Large clump of *Sambucus* with numerous VELB exit holes along the Calaveras River north of Linden, San Joaquin Co. (Site #93).
- Figure 31. Massive old *Sambucus* with possible VELB exit holes above the Kings River west of Reedley, Fresno Co. (Site #43).
- Figure 32. *Sambucus racemosa* var. *microbotrys* with numerous VELB exit holes; Campbell-Moreland Ditch (tributary Tule River) just southeast of Porterville, Tulare Co. (Site #15).
- Figure 33. Large clump of *Sambucus* with VELB exit holes at the margin of the riparian corridor along the Tule River east of Porterville, Tulare Co. (Site #20).
- Figure 34. The size distribution of maximum diameters of all *Sambucus* groups compared to those with VELB exit holes.
- Figure 35. The health of all *Sambucus* groups compared to those with VELB exit holes.
- Figure 36. Recently pruned *Sambucus* adjacent to Bartlett Park (Co.) on the Tule River, Tulare Co. (Site #35); VELB exit holes were present.
- Figure 37. Recently cut *Sambucus* logs at Reading Island Recreation Area (BLM) campsite on the Sacramento River, Shasta Co. (Site #61); VELB exit holes were present.
- Figure 38. Cutting damage to *Sambucus* at McHenry Avenue Park (COE) picnic area on the Stanislaus River, San Joaquin Co. (Site #223); VELB exit holes were present.
- Figure 39. Old, splintered *Sambucus* stems and trunks surrounded by young shoots (Site #89).
- Figure 40. Burned *Sambucus* grove (Site #210).
- Figure 41. Burn scars on *Sambucus* trunk (Site #205).
- Figure 42. Riparian *Sambucus racemosa* var. *microbotrys* stand, elevation ~85 ft., at Honcut Creek northeast of Live Oak, Yuba Co. (Site #173).

- Figure 43. Elderberry savanna with huge *Sambucus racemosa* var. *microbotrys*, elevation ~365 ft., at Reading Island Recreation Area (BLM) on the Sacramento River, Shasta Co. (Site #61).
- Figure 44. Isolated *Sambucus racemosa* var. *microbotrys* clump in a pasture bordering Paynes Creek, elevation ~1875 ft., Tehama Co. (Site #67).
- Figure 45. Fencerow *Sambucus mexicana* with cemetery on the left and plowed field on the right, elevation ~135 ft., near the Mokelumne River north of Clements, San Joaquin Co. (Site #72); a female VELB was captured on this clump on 15 May 1991.
- Figure 46. *Sambucus mexicana* in an oak-woodland habitat, elevation ~780 ft.; the plants were growing in a damp roadside ditch at the Peninsula Campground entrance, Folsom Lake State Recreation Area, El Dorado Co. (Site #99).
- Figure 47. *Sambucus mexicana* in a mixed chaparral-foothill woodland habitat, elevation ~520 ft., Cache Creek Canyon, Yolo Co. (Site #75); plant associates included toyon, manzanita, redbud, digger pine, and big-leaf maple.
- Figure 48. *Sambucus racemosa* var. *microbotrys* growing amid boulders on a rocky hill, elevation ~410 ft., near Miners Ravine west of Folsom Lake, Placer Co. (Site #21).
- Figure 49. Dense *Sambucus* grove in a dry, incised streambed southwest of Caliente, Kern Co., elevation ~1360 ft. (Site #6).
- Figure 50. Elderberry density at all sites compared to those with VELB exit holes.
- Figure 51. The age/condition of VELB exit holes examined in live and dead wood.
- Figure 52. The size distribution of branch/trunk diameters at VELB exit holes.
- Figure 53. VELB gallery and exit hole in a 0.7 inch diameter dead branch (Site #78); note the large percentage of pith.
- Figure 54. VELB gallery in a 0.6 inch diameter dead branch (Site #75); note the large percentage of pith.
- Figure 55. Distribution of the heights of VELB exit holes above the ground.

- Figure 56. Sectioned branch with probable VELB gallery damaged by a secondary invasion of other insects, possibly ants (Site #60).
- Figure 57. Sectioned branch with probable VELB gallery nearly obliterated by a secondary invasion of other insects (Site #145).
- Figure 58. Sectioned old branch with external holes resembling those of the VELB, but without a recognizable VELB gallery; the dead wood was probably mined by carpenter ants (Site #9/10).
- Figure 59. Cut stump with tunnels probably created by carpenter ants (Site #15).
- Figure 60. Sectioned branch with galleries and exit holes of bostrichid beetles and termites (Site #6).
- Figure 61. Sectioned branch with galleries and exit holes of termites (Site #12).
- Figure 62. An adult female VELB was captured on 21 April 1991 on this *Sambucus racemosa* var. *microbotrys* at the Campbell-Moreland Ditch (tributary Tule River) near Porterville, Tulare Co. (Site #15).
- Figure 63. Dead adult male VELB in exit tunnel, 30 April 1991, near Lane Slough (tributary Kaweah River) north of Exeter, Tulare Co. (Site #32).
- Figure 64. Clump of *Sambucus mexicana* with dead male VELB and numerous exit holes, near Lane Slough (tributary Kaweah River) north of Exeter, Tulare Co. (Site #32).
- Figure 65. An adult male VELB was captured on 15 May 1991 on this *Sambucus mexicana* near the Mokelumne River north of Clements, San Joaquin Co. (Site #72).
- Figure 66. Mating pair of *Desmocerus californicus dimorphus* captured separately near the Mokelumne River north of Clements, San Joaquin Co., 15 May 1991 (Site #72); they began mating in captivity after being placed together.

List of Tables

- Table 1. The presence/absence of elderberry and valley elderberry longhorn beetle populations in parks, wildlife areas, or public lands in the Central Valley and adjacent foothills based on current and historic records.
- Table 2. Total acreage of parks, wildlife areas, and public land in the Central Valley and adjacent foothills with known current and historic populations of the valley elderberry longhorn beetle and/or elderberry (summation of Table 1).